

NR-16F85-8PRA

16 Channel 4K Embedded NVRs

■ Specifications

MODEL	NR-16F85-8PRA	
ARCHIVING	Archiving Devices	USB Memory, FTP
	Remote Archiving	Yes (WEB RA, VMS, FTP)
	Snapshot Archiving	Yes
	Data Reserving	Yes
	Reserved Data List Management	Yes
	Backup Data Format	AVI, RAW
	Watermark	MD5
	Watermark Verification	Yes
	Archived Data Playback	Yes
NETWORK	Max. Connections	32 Users
	DHCP	Yes
	HTTPS	Yes
	SSL	Yes
	DDNS	Yes
	Transmission Rate	MAX 480 FPS
	Bandwidth Control	Yes
	Web Brower Access	Yes
	Remote Monitoring	Yes
	Remote Playback	Yes
	Remote Archiving	Yes
	Remote Health Check	Yes
	VMS Support	Yes
	Onvif Camera Support	Yes (Profile-S)
	Two-Way Audio	Yes
	PC Based Remote Agent	Yes
	Smart Phone Application	Yes (iPhone, iPad, Android)
	Web Based Remote Agent	Yes
	SDK	Yes (HTTP Based SDK, PC Codec Library)
	IP Filtering	Yes
	Auto Router Port Forwarding	Yes
	Dual Streaming	Yes
	FTP Client	Yes (For Archiving)
	E-Mail	Yes (SMTP Client)
Authority Control	Admin / Manager / User	
Auto IP Cam Installation (Plug and Display)	Yes	
Protocols	WS-Discovery, RTP, RTSP, RTCP, S MTP, NTP, HTTP, FTP, DDNS, DHCP, uPNP (Router Port Forwarding), HTTPS, SSL	
WiFi	-	
EVENT & ACTIONS	Alarm Out	Yes
	Event Notification	Yes
	Video Popup	Yes
	Alarm Sensor Event	Yes
	Video Loss Event	Yes
	Motion Detection Event	Yes
	Motion Sensor Area	Dependant on IP Camera
	Disk Event	Yes
	System Event	Yes
Network Event	Yes	
STORAGE	Disk S.M.A.R.T Check	Yes (Dependant on HDD Spec)
	External Storage	Yes (eSATA, NAS (for Backup))
	Auto Disk Recovery	Yes
	Deleting Partial Data	Yes
USER	Group Authority	Yes (Admin / Manger / User)
	Operating System	LINUX®
ADDITIONAL	F/W Upgrade	Yes (USB / Network)
	Setup Import/Export	Yes
	Keyboard Controller	No
	Backup Viewer	Yes (Multi-channel Playback Support)
	Language	Multi-Language
	Video Analytics	Yes, in combination with 4MP Ganz PixelPro Cameras

All specifications are subject to change without notice.